

Google 4.8 ****

32,000+ Reviews www.bimalmaruti.com One Call **080 3069 3069**

Mahadevpura Domlur Varthur Yelahanka

Banashankari

Banaswadi Kodihalli Peenya Kanakapura Bannerghatta Marathahalli

Nagarbhavi Kadugodi TRUE VALUE Devanahalli

Bagepalli H-Cross Hoskote Hesaraghatta Sidlaghatta Gudibanda Vijayapura Budigere

Peresandra Commercial-Yeswanthpur KGF Narsapur








Choose from any of the Dual-Tone Colour options and unleash the thrill-seeker within you.






SPORTY CROSS MESH GRILLE WITH **BOLD CHROME ACCENT**


















When it comes to keeping you connected, it doesn't get better than this. The SmartPlay Studio System and Coloured Multi-Information Display provides you with all the stats as you barrel around corners.















AVERAGE FUEL ECONOMY

POWER & TORQUE











ADVANCED K-SERIES DUALJET, DUAL VVT ENGINE






















SOLID HEARTECT PLATFORM

CHOOSE YOUR THRILL.



SOLID FIRE RED WITH
PEARL MIDNIGHT BLACK ROOF







PEARL METALIC MIDNIGHT BLUE WITH PEARL ARCTIC WHITE ROOF







METALLIC SILKY SILVER
















PEARL ARCTIC WHITE



PEARL MIDNIGHT BLACK

NAME OF THE PASS O			I			I	1
Personal P	FEATURES TRANSMISSION TYPE	Lxi	Vxi	Vxi CNG	Zxi	Zxi CNG	Zxi+
Personal process		5М1	5MI/5AMI	5M I	5M1/5AM1	5M1	5M1/5AM1
Personal process		_	_	_	_	_	-/
Description Process							
March Charle (Stage (Stage Stage		✓	√	√	√	√	
Seminor Seminor Seminor Seminor Seminor Se	LED High Mounted Stop Lamp	√	√	√	√	√	√
Memory M	Wheels (Steel/Alloy/Precision Cut Alloy)	Steel	Steel	Steel	Allov	Allov	
Section of Control Section (Section 1999) Section 1999 Secti	· · · · · · · · · · · · · · · · · · ·				-	-	· ·
Page Calcange Dates New Names Page P							
Per							
Book Control	Body Coloured Outside Rear View Mirrors	_	√	√	√	√	
Control Cont	Body Coloured Bumpers	√	√	√	√	√	√
	Body Coloured Outside Front Door Handles	-	√	√	√	√	√
Sect	INTERIORS						
Display Disp		_	_	_			√
Some distancer and Yorks (Winer)							
Description Process							
Post Service Record (10	•						
Content Part							
Common							
Each Control Black Figure							
Personal Reput Healthall Personal Reput Health Reput Personal Reput							
Extremel							
Post Charles Survey							
March Marc						·	
Section Sect	·						
Deef four Alleage		*	<u> </u>	<u> </u>	<u> </u>	<u> </u>	. (Solouleu)
Mars on the manethman Assistant		√	√	√	√	√	√
Mart Season							
Security Advances	Electronic Stability Program	√	√	√	√	√	√
Severe Parkins Camera	Hill Hold Assist	_	(AMT only)	_	(AMT only)	_	(AMT only)
Security All Amm System							
Pench Stand Flores Window Christon Side							
Final Seal Bills with Pre-Tensioner and Force Limiter							
Indits with Child Beat Anchorages		√	√	√	√	√	√
Front Fig. Lamps	Pedestrian Protection Compliance	√	√	√	√		√
Speed Seet Reminder with Buzzer (Front's Rear Seator**	-						
Seat Bellet Formider with Buzzer (Fronte Rear Scarity** V V V V V V V V V							
Seat Birls for All Scates** V							
Engine Immobilizer	Seat Belts for All Seats ^{AA}	√	√	√	√	✓	√
Nigh Speed Alert System*	Day and Night Adjustable Inside Rear View Mirror	_	√	√	√	√	√
AUDIO & ENTERTAINMENT	Engine Immobilizer	√	√	√	√	√	√
17.78 cm Touchscreen Smartplay Studio - - -	High Speed Alert System*	√	√	√	√	√	√
Nevigation System with Live Traffic Update (through Smartplay Studio App)	AUDIO & ENTERTAINMENT						
AHA Platform (through Smartplay Studio App)	17.78 cm Touchscreen Smartplay Studio	_	_	_	√	✓	√
Voice Command		_	_	_			
Smartphone Connect (Android Auto and Apple CarPlay)							
Remote Control (through Smartplay Studio App)							
All New Feather Touch Audio System							
Steering Mounted Audio & Calling Controls							
AUX-in, USB & Bluetooth Connectivity				·			
Door Speakers (4)							
Tweeters (2)	-						
Roof Antenna							
COMFORT & CONVENIENCE Cruise Control -<							
Cruise Control - - - - - - V		· ·	<u> </u>	·	<u> </u>	·	· ·
Engine Push Start-Stop Button with Smart Key		_					√
Auto Headlamps (lead me to vehicle/follow me home) — <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>							
Automatic Climate Control - <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
Manual Air Conditioner with Heater V		_	_	_	√	√	
Remote Keyless Entry System — V<		√	√	√			
Central Door Locking - V					√	√	√
Auto Down Power Window (Driver Side) — ✓		_	√	√		√	√
Power Windows (Front + Rear) − √ √ √ √ √ √ ✓		_	√	√	√	√	√
Power & Tilt Steering ✓	Auto Up Power Window (Driver Side)	_	-	-	√	√	√
Manually Adjustable Outside Rear View Mirrors √ − − − − − − − ✓<	Power Windows (Front + Rear)	_	√	√	√	√	√
Electrically Adjustable Outside Rear View Mirrors − √ √ √ √ √ ✓ <t< td=""><td>Power & Tilt Steering</td><td>√</td><td>√</td><td>√</td><td>√</td><td>√</td><td>_ √</td></t<>	Power & Tilt Steering	√	√	√	√	√	_ √
Electrically Foldable Outside Rear View Mirrors − − − √ √ √ √ √ √ √ √ ✓	Manually Adjustable Outside Rear View Mirrors	✓	_	_	_	_	_
Electromagnetic Back Door Opener − √ √ √ √ ✓ Rear Defogger − − − − √ ✓ ✓ ✓ Rear Wiper & Washer − − − ✓ ✓ ✓ ✓ ✓	Electrically Adjustable Outside Rear View Mirrors		√	√	√	√	√
Rear Defogger - - - - √ √ √ Rear Wiper & Washer - - - - √ √ √ ✓	Electrically Foldable Outside Rear View Mirrors	_	_	_	√	√	√ (Key Sync)
Rear Wiper & Washer - - - √ √ ✓	Electromagnetic Back Door Opener	_	√	√	√	√	√
	Rear Defogger	_	_	_	√	√	√
Adjustable Front Seat Headrests	Rear Wiper & Washer		_	_	√	√	√
Aujustavie i forit deal fieatiests	Adjustable Front Seat Headrests	_	√	√	√	√	√

FEATURES	Lxi	Vxi	Vxi CNG	Zxi	Zxi CNG	Zxi+			
TRANSMISSION TYPE	5MT	5MT/5AMT	5MT	5MT/5AMT	5MT	5MT/5AMT			
Adjustable Rear Seat Headrests	_	_	_	√	√	✓			
Height Adjustable Driver Seat	_	√	√	√	√	✓			
Gear Shift Indicator	√	(MT only)	√	(MT only)	√	(MT only)			
Gear Position Indicator	_	(AMT only)	_	(AMT only)	_	(AMT only)			
Driver Side Foot Rest	_	(AMT only)	_	(AMT only)	_	(AMT only)			
60:40 Split Rear Seat	_	_	√	√ · · · · · · · · · · · · · · · · · · ·	√	√			
Rear Parcel Shelf	_	✓	· √	· ·	√	· · · · · · · · · · · · · · · · · · ·			
Luggage Room Lamp	_	_	_	· · · · · · · · · · · · · · · · · · ·	√	√			
Front Accessory Socket	✓	✓	√	√	√	√			
		√	∨	√	√	√			
Low Fuel Warning Lamp	√ √	√ √	∨	√	√				
Door Ajar Warning Lamp		√ √	V √	V √	√	V √			
Headlamp On Reminder	V	V	V	V	V	V			
COLOUR VARIANTS						,			
Solid Fire Red with Pearl Midnight Black Roof	_	_	_	_	_	√			
Pearl Metallic Midnight Blue with Pearl Arctic White Roof		_	_	_	_	√			
Pearl Arctic White with Pearl Midnight Black Roof			_	_		√			
Solid Fire Red Poort Metallio Midnight Plus	√	√	√	√	√	_			
Pearl Metallic Midnight Blue Pearl Arctic White	√ ✓	√	√	√	√ √	_			
Pearl Metallic Lucent Orange	✓	· ·	√	✓	√	√			
Pearl Midnight Black	-	_	-	√	✓	✓			
Metallic Magma Grey	√	✓	√	√	√	√			
Metallic Silky Silver	√	√	√	√	√	√			
TECHNICAL SPECIFICATIONS		GASOLINE			CNG				
Variants	Lxi , Vxi, Vx	ki AMT, Zxi, Zxi AMT, Zx	(i+, Zxi+AMT		Vxi , Zxi				
Seating Capacity				5					
ENGINE									
Engine Type		A	Advanced K Series Du	al Jet, Dual VVT Engin	e				
Fuel Type		Gasoline			Gasoline & CNG				
Emission Type			BS	S VI					
Capacity			119	97cc					
Number of Cylinders				4					
Max Power (kW @ rpm)		66 kW @ 6000 rpm			57 kw @ 6000 rpm	-			
(PS@rpm)		89.73 PS @ 6000 rpm	1		77.49 PS @ 6000 rpn	n			
Max Torque (Nm @ rpm)		113@4400			98.5@4300				
TRANSMISSION									
Туре		5MT / 5AMT			5MT				
DIMENSIONS									
Length (mm)		3845							
Width (mm)			13	735					
Height (mm)		1530 (Unladen)							
Wheelbase (mm)			24	450					
Track, Front (mm)		1530 (165/80R14), 1520 (185/65R15)							
Track, Rear (mm)		1530 (165/80R14), 1520 (185/65R15)							
Boot Space (L)		268 –							
WEIGHT									
Kerb Weight (kg)		875-905 980-985							
Gross Vehicle Weight (kg)		1335 140							
BRAKES									
Front			D	isc					
Rear		Drum							
STEERING									
Power Steering Type			El^	ctric					
				1.8					
Turning Radius (m)				+.O					
SUSPENSION									
Front				rson Strut					
Rear			Torsio	n Beam					
TYRE SIZE									
Steel	Lxi	, Vxi, Vxi AMT : 165/80) R14		Vxi: 165/80 R14				
Alloy**	Zxi, Zxi A	MT, Zxi+, Zxi+AMT : 18	85/65 R15		Zxi: 185/65 R15				











Gasoline: 37 CNG: 55 (water filling capacity)

*As certified by Test Agency Under Rule 115 (G) of CMVR 1989.

Fuel Tank Capacity (L)

Terms & Conditions:

Maruti Suzuki India Limited reserves the right to change without notice - price, colours, equipment specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment-spare tyre wheel material is steel & spare tyre is 165/80 R14. For variant specific features, refer to the equipment list Colours shown may vary from actual body colours due to printing on paper. Creative visualization. The black glass in the vehicle is due to lightening effect. As certified by Test Agency under Rule 115 of CMVR, 1989. The speed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 80 km/h, primary level warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning with continuous beeps will sound. If the vehicle speed is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 78 km/h, speed alert warning will stop. This buzzer does not indicate any malfunction in vehicle. Images for illustration purposes only. For details on functioning of safety features, including air bag, kindly refer to the Owner's Manual. *Rear Centre seat has lap belt type of seat belt. **A*Seat belt reminder comes on unless all rear passenger's seat belts are fastened irrespective of the presence or absence of passenger.

37